ELSEVIER

Journal of Materials Processing Technology 161 (2005) 516–517

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 161

Altzoumailis, A., 16
Arabatzis, I.M., 107, 224, 276
Argyropoulou, R., 16

Baik, Y., 415
Balaev, D.A., 42, 58
Bao, H., 491
Barglik, J., 269
Bayramlı, E., 83
Bodurov, P., 504
Bouzid, W., 388

Cai, Z.-Y., 449
Chang, P.-C., 467
Chatzarakis, G.E., 121
Chatzivasiloglou, E., 234
Chen, M.H., 478
Chen, W.-F., 467
Chen, W.-Y., 467
Chen, Y.S., 435
Chonan, S., 199
Chu, C.L., 435
Cingoski, V., 101
Cranganu-Cretu, B., 305
Crisi, F., 46
Cundev, D., 241
Cundev, M., 89
Cvetkovski, G., 89

Dimitrakakis, G., 204
Doležel, I., 269
Dong, S., 485
D'Ovidio, G., 46
Drew, R.A.L., 415
Du, D., 456

Ebihara, D., 75
Efremov, A.A., 58
Enokizono, M., 136, 193, 218, 353
Ertan, H.B., 83

Falaras, P., 107, 224, 234, 276
Fowler, G., 407
Friedman, A., 28

Georgilakis, P., 320
Giacomo, A.D., 315
Gjoka, M., 173
Göl, Ö., 282, 300
Gölgelioğlu, Ö., 83
Gokhfeld, D.M., 42
Golovanov, C., 334
Grabner, C., 176
Grămescu, B., 253

Guo, L.F., 462
Guobin, L., 445

Han, C.S., 485
Hantila, F., 315
Hantila, F.I., 305
Hashizume, H., 348
Hatziargyriou, N., 128
He, Y.F., 456
Higashikawa, K., 22
Hoole, S.R.H., 247, 327, 368
Hoshino, T., 22
Hristoforou, E., 33, 359

Iatcheva, I., 258
Ioannides, M.G., 263
Ioannou, P., 204
Ivanova, M., 229
Iwahara, M., 156

Javora, R., 156
Jibing, S., 445
Jicai, F., 423
Juan, W., 423

Kalbac, M., 107
Kalokiris, G., 288
Kantartzis, N.V., 210
Kanzaki, H., 22
Karagianni, M., 276
Katiniotis, I.M., 263
Katsikas, P.J., 121
Kawaguchi, H., 193
Kawase, Y., 311
Kefalas, T., 288
Kikuchi, K., 199
Kirko, V.I., 42
Kitajima, S., 348
Kladas, A., 128, 288, 320
Kladas, A.G., 294, 363
Kohari, Z., 62
Kok, M., 381
Korres, G.N., 121
Kosmas, K., 359
Koumoutsos, A.K., 294
Kriezis, E., 343
Kriezis, E.E., 210
Krishnakumar, S., 368
Kveglis, L.I., 58

Lanzara, G., 46
Lazarov, V., 96, 229
Lei, Y., 497
Leuca, T., 305

Li, H., 478, 491
Li, J.-Y., 396
Li, M.-Z., 449
Li, Y., 430
Liang, Y., 491
Liaw, S.-D., 467
Lin, H.C., 435
Lin, K.M., 435
Liu, M., 440
Liu, N., 478
Loisos, G., 151
Loizos, Z., 224
Lukes, I., 107
Lévêque, J.L., 199

Maeda, T., 101
Mahajan, A., 113
Mamalis, A.G., xi, 1, 36, 42, 113, 294
Manolakos, D.E., 36, 294
Maricaru, M., 315
Marquis, F., 36
Marquis, F.D.S., 113
Matsumoto, E., 141
Medraj, M., 415
Mei, Z., 462
Mendrinos, L., 16
Militsyn, S.V., 42
Miya, K., 66
Moschakis, M., 128
Moses, A.J., 79, 151
Mészáros, I., 162
Murakami, M., 52
Muta, I., 22

Nagata, S., 353
Nagaya, K., 146
Naito, H., 311
Nakamura, T., 22
Narayanasamy, R., 375
Navarra, A., 46
Niarchos, D., 173
Nishimura, T., 311
Nittono, O., 338
Niţu, C., 253
Niţu, S., 253
Noguchi, S., 10, 101
Novikov, N.V., 169

Ochsenkühn-Petropoulou, M., 16
Ogawa, J., 52
Ogura, K., 348
Otsuka, A., 75
Ovchinnikov, S.G., 42, 58

Elsevier B.V.
doi:10.1016/S0924-0136(05)00339-0

ELSEVIER

Journal of Materials Processing Technology 161 (2005) 516–517

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 161

Altzoumailis, A., 16
Arabatzis, I.M., 107, 224, 276
Argyropoulou, R., 16

Baik, Y., 415
Balaev, D.A., 42, 58
Bao, H., 491
Barglik, J., 269
Bayramlı, E., 83
Bodurov, P., 504
Bouzid, W., 388

Cai, Z.-Y., 449
Chang, P.-C., 467
Chatzarakis, G.E., 121
Chatzivasiloglou, E., 234
Chen, M.H., 478
Chen, W.-F., 467
Chen, W.-Y., 467
Chen, Y.S., 435
Chonan, S., 199
Chu, C.L., 435
Cingoski, V., 101
Cranganu-Cretu, B., 305
Crisi, F., 46
Cundev, D., 241
Cundev, M., 89
Cvetkovski, G., 89

Dimitrakakis, G., 204
Doležel, I., 269
Dong, S., 485
D'Ovidio, G., 46
Drew, R.A.L., 415
Du, D., 456

Ebihara, D., 75
Efremov, A.A., 58
Enokizono, M., 136, 193, 218, 353
Ertan, H.B., 83

Falaras, P., 107, 224, 234, 276
Fowler, G., 407
Friedman, A., 28

Georgilakis, P., 320
Giacomo, A.D., 315
Gjoka, M., 173
Göl, Ö., 282, 300
Gölgelioğlu, Ö., 83
Gokhfeld, D.M., 42
Golovanov, C., 334
Grabner, C., 176
Grămescu, B., 253

Guo, L.F., 462
Guobin, L., 445

Han, C.S., 485
Hantila, F., 315
Hantila, F.I., 305
Hashizume, H., 348
Hatziargyriou, N., 128
He, Y.F., 456
Higashikawa, K., 22
Hoole, S.R.H., 247, 327, 368
Hoshino, T., 22
Hristoforou, E., 33, 359

Iatcheva, I., 258
Ioannides, M.G., 263
Ioannou, P., 204
Ivanova, M., 229
Iwahara, M., 156

Javora, R., 156
Jibing, S., 445
Jicai, F., 423
Juan, W., 423

Kalbac, M., 107
Kalokiris, G., 288
Kantartzis, N.V., 210
Kanzaki, H., 22
Karagianni, M., 276
Katiniotis, I.M., 263
Katsikas, P.J., 121
Kawaguchi, H., 193
Kawase, Y., 311
Kefalas, T., 288
Kikuchi, K., 199
Kirko, V.I., 42
Kitajima, S., 348
Kladas, A., 128, 288, 320
Kladas, A.G., 294, 363
Kohari, Z., 62
Kok, M., 381
Korres, G.N., 121
Kosmas, K., 359
Koumoutsos, A.K., 294
Kriezis, E., 343
Kriezis, E.E., 210
Krishnakumar, S., 368
Kveglis, L.I., 58

Lanzara, G., 46
Lazarov, V., 96, 229
Lei, Y., 497
Leuca, T., 305

Li, H., 478, 491
Li, J.-Y., 396
Li, M.-Z., 449
Li, Y., 430
Liang, Y., 491
Liaw, S.-D., 467
Lin, H.C., 435
Lin, K.M., 435
Liu, M., 440
Liu, N., 478
Loisos, G., 151
Loizos, Z., 224
Lukes, I., 107
Lévêque, J.L., 199

Maeda, T., 101
Mahajan, A., 113
Mamalis, A.G., xi, 1, 36, 42, 113, 294
Manolakos, D.E., 36, 294
Maricaru, M., 315
Marquis, F., 36
Marquis, F.D.S., 113
Matsumoto, E., 141
Medraj, M., 415
Mei, Z., 462
Mendrinos, L., 16
Militsyn, S.V., 42
Miya, K., 66
Moschakis, M., 128
Moses, A.J., 79, 151
Mészáros, I., 162
Murakami, M., 52
Muta, I., 22

Nagata, S., 353
Nagaya, K., 146
Naito, H., 311
Nakamura, T., 22
Narayanasamy, R., 375
Navarra, A., 46
Niarchos, D., 173
Nishimura, T., 311
Nittono, O., 338
Niţu, C., 253
Niţu, S., 253
Noguchi, S., 10, 101
Novikov, N.V., 169

Ochsenkühn-Petropoulou, M., 16
Ogawa, J., 52
Ogura, K., 348
Otsuka, A., 75
Ovchinnikov, S.G., 42, 58

Elsevier B.V.
doi:10.1016/S0924-0136(05)00339-0

Panagiotopoulos, I., 173
Paparigas, D., 320
Papavassiliou, G., 276
Pashby, I.R., 407
Penchev, T., 504
Peng, Y., 440
Petkovska, L., 89, 241
Petrou, J., 33
Petrov, M.I., 42, 58
Ponalagusamy, R., 375
Popkov, S.I., 58
Pranoto, T., 146
Prohászka, J., 162, 181

Quanmei, G., 445

Raitsios, P., 204
Rizov, P., 96
Ruan, X., 440

Sachs, E., 509
Sarac, V., 89
Sargentis, Ch., 359
Schaeffer, C., 229
Shaihutdinov, K.A., 42, 58
Shaked, N., 28
Shi, Y., 497
Shibata, T., 348
Shimoji, H., 136, 218
Shipway, P.H., 407
Shishkov, M., 229
Sinvani, M., 28
Sobhi-Najafabadi, B., 282, 300
Souflaris, A., 320
Spyrellis, N., 224, 234
Srinivasan, P., 375
Stamopoulos, D., 33
Stancheva, R., 258
Stergiopoulos, T., 107, 234, 276
Sugiura, H., 199
Sugiyama, S., 396
Sui, B., 456
Suzuki, T., 141
Szalay, A., 36

Tagami, H., 199
Takagi, T., 338
Takaya, S., 66
Tanaka, M., 199
Tanaka, S., 338
Tang, Y.Y., 485
Tatis, K.V., 363
Tegopoulos, J., 288
Tegopoulos, J.A., 363
Tetyeva, T.N., 58
Theodoulidis, T., 343
Thompson, W.T., 415
Tian, Z., 497
Todaka, T., 193
Tomita, M., 52
Tsamakis, D., 359
Tsiboukis, T.D., 186, 210
Tsili, M., 320
Tsuboi, T., 22
Tsuchiya, T., 10
Tsukamoto, O., 52
Tutkun, N., 79

Udawalpola, M.R., 247, 327
Ulrych, B., 269
Urma, D., 334

Vajda, I., 62
Valasiadis, A., 33
Vasiliu, M., 315
Vernados, P.G., 263
Vezzetti, E., 509
Vottea, I.N., 36, 42

Wang, Q., 430
Wang, W., 497
Watada, M., 75
Watanabe, H., 338
Wijesinghe, K.R.C., 247, 327
Wolfus, Y., 28

Xiaoqin, S., 423
Xie, F., 478
Xiong, L.J., 456
Xu, Y.D., 478

Yajiang, L., 423
Yamada, K., 338
Yamada, S., 156
Yamagishi, K., 52
Yamaguchi, K., 338
Yamaguchi, T., 311
Yamashita, H., 10, 101
Yanagimoto, J., 396
Yang, H., 440
Yang, H.D., 478
Yeshurun, Y., 28
Yue, T.M., 462
Yuhui, W., 445

Zarudi, M., 28
Zeer, G.M., 58
Zhang, H., 456
Zhou, J., 478
Zygiridis, T.T., 186

ELSEVIER

Journal of Materials Processing Technology 161 (2005) 518–525

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 161

AC loss
Mechanism of decay of trapped magnetic field in HTS bulk caused by application of AC magnetic field, 52
Acquisition
Low frequency magnetic field parameters acquisition and processing, 334
AFM
Incorporation of innovative compounds in nanostructured photoelectrochemical cells, 107
Air gap
Magnetic permeance of the air gap between two toothed structures, 96
AlN sintering
Understanding AlN sintering through computational thermodynamics combined with experimental investigation, 415
AlN–Al_2O_3–Y_2O_3 phase diagram
Understanding AlN sintering through computational thermodynamics combined with experimental investigation, 415
Al_2O_3 particle
Production and mechanical properties of Al_2O_3 particle-reinforced 2024 aluminium alloy composites, 381
Aluminium alloy
Production and mechanical properties of Al_2O_3 particle-reinforced 2024 aluminium alloy composites, 381
Aluminum stabilized superconductor
Transient stability analysis of large aluminum stabilized superconductor by 3D finite element method, 10
Ambulance
Development on 2DOF-type and Rotary-type shock absorber damper using MRF and their efficiencies, 146
Analog and topological measurement errors
Identification of analog and topological measurement errors in generalized state estimation, 121
Anisotropy
Vector magneto-hysteretic engineering model, 136
Some of the technologies, which can improve the properties of anisotropic materials, 181
Austenitic stainless steel
Magnetic investigation of the effect of α'-martensite on the properties of austenitic stainless steel, 162
AWJ
Abrasive water-jet controlled depth milling of Ti6Al4V alloy – an investigation of the role of jet–workpiece traverse speed and abrasive grit size on the characteristics of the milled material, 407

Bad data analysis
Identification of analog and topological measurement errors in generalized state estimation, 121
Barkhausen noise
Analysis of Barkhausen noise using Monte Carlo simulation for nondestructive evaluation, 338
Bi-2223/Ag multifilamentary tape
Analysis of shielding property in Bi-2223/Ag multifilamentary tapes with multi-layer arrangement, 22
Bifurcation diagram
Effect of dynamic core losses on ferroresonance phenomena, 156
Boundary element method
Boundary element method for multiply connected domains, 315

CAM
CAM system for filament winding on elbows, 491
Ceramics
Synthesis of superhard materials, 169
Cermets
Cutting and wearing characteristics of TiC-based cermets cutters with nano-TiN addition, 478
Chaotic oscillations
Effect of dynamic core losses on ferroresonance phenomena, 156
Chipless machining
Abrasive water-jet controlled depth milling of Ti6Al4V alloy – an investigation of the role of jet–workpiece traverse speed and abrasive grit size on the characteristics of the milled material, 407
Circuit breaker status
Identification of analog and topological measurement errors in generalized state estimation, 121
Circular-arc ball-end milling cutter
A study of design and manufacturing models for circular-arc ball-end milling cutters, 467
Co-generation
Hybrid solar collector, 229
Coil impedance calculation
Series expansions in eddy current nondestructive evaluation models, 343
Cold extrusion
A finite element model for hydrodynamic lubrication of cold extrusion with frictional boundary condition, 440
Compaction
Explosive compaction/cladding of YBCO discs: a numerical approach, 36
Composite PEO–titania–I^-/I_3^- electrolyte
Incorporation of innovative compounds in nanostructured photoelectrochemical cells, 107
Composites
CAM system for filament winding on elbows, 491
Computational electromagnetics
A topologically consistent class of 3-D higher order curvilinear FDTD schemes for dispersion-optimized EMC and material modeling, 210
Computer aided design (CAD)
2D finite element analysis data creating system with CAD data, 311
Computer aided engineering (CAE)
2D finite element analysis data creating system with CAD data, 311
Computer control
Application of electromagnetic actuators to a variable distribution system for automobile engines, 253

Elsevier B.V.
doi:10.1016/S0924-0136(05)00340-7

Computer simulation
Finite element modeling of hydrogen diffusion in fusion zone of HQ130 high strength steel, 423
Constitutive equation
Comparison of Jiles–Atherton and Preisach models extended to stress dependence in magnetoelastic behaviors of a ferromagnetic material, 141
Contact
Finite element simulation of multi-point sheet forming process based on implicit scheme, 449
Continual induction hardening
Continual induction hardening of axi-symmetric bodies, 269
C^1 continuity
A common algorithm for various parametric geometric changes in finite element design sensitivity computation, 368
Control
Development on 2DOF-type and Rotary-type shock absorber damper using MRF and their efficiencies, 146
Cooling curve recognition
Intelligent evaluation of melt iron quality by pattern recognition of thermal analysis cooling curves, 430
Corrosion resistance
The effect of laser cladding on the corrosion resistance of magnesium ZK60/SiC composite, 462
Cubic boron nitride
Synthesis of superhard materials, 169
E–J curves
Analysis of shielding property in Bi-2223/Ag multifilamentary tapes with multi-layer arrangement, 22
Cutting
Effect of mechanical and Nd:YAG laser cutting on magnetic flux distribution near the cut edge of non-oriented steels, 151
Cutting characteristics
Cutting and wearing characteristics of TiC-based cermets cutters with nano-TiN addition, 478
Cutting force
Cutting parameter optimization to minimize production time in high speed turning, 388
Cylindrical coordinate
An automatic hexahedral mesh generation method for hexahedral elements towards rotating machine, 101

2D FEA data generator
2D finite element analysis data creating system with CAD data, 311
3D finite element method
Transient stability analysis of large aluminum stabilized superconductor by 3D finite element method, 10
DC flash butt welding
FEM simulation on microstructure of DC flash butt welding for an ultra-fine grain steel, 497
Deterministic techniques
Deterministic techniques for design optimisation of electromotion devices with multiple objectives, 282
Detonation velocity
Shock synthesis and densification of tungsten based heavy alloys, 113
Diamond
Synthesis of superhard materials, 169
Diamond films
Synthesis of superhard materials, 169
Die forging
Industrial rocket engine and its application for propelling of forging hammers, 504
Diffusion operator
Microwave ovens electromagnetic field analysis by means of boundary element method, 305
Disinflated rate
Transformers of reduced losses and evaluation of their repair, 204
Distribution transformers
Numerical techniques for design and modeling of distribution transformers, 320
Double output system
Operation of induction generator in the magnetic saturation region as a self-excited and as a double output system, 263
DSC
Production and characterization of MgB_2 coatings on various substrates by electrophoretic deposition, 16
D-SMES
A voltage source converter model for exchanging active and reactive power with a distribution network, 128
DXF
2D finite element analysis data creating system with CAD data, 311
Dyes
Modification of TiO_2 semiconductor with molecules bearing functional phosphonic groups: a 31P solid state NMR study, 276

Eddy current models
Series expansions in eddy current nondestructive evaluation models, 343
Eddy current testing (ECT)
Experimental study on NDT method using electromagnetic waves, 348
Eddy current tests
Numerical simulations and experiments of eddy current tests under various excitation methods, 353
Eddy currents
Geometry optimization of solid rotor eddy current brake by using sensitivity analysis and 3D finite elements, 363
Edge elements
Boundary element method for multiply connected domains, 315
Efficiency
Development on 2DOF-type and Rotary-type shock absorber damper using MRF and their efficiencies, 146
Electrical device
Features and classes for an optimisation tool for electrical device designs and computer-aided instruction, 327
Electrical machines
Magnetic characteristic analysis of electrical machines by vector magneto-hysteretic E&S^2 model, 218
Electrical steels
Effect of mechanical and Nd:YAG laser cutting on magnetic flux distribution near the cut edge of non-oriented steels, 151
Electromagnetic actuator
Application of electromagnetic actuators to a variable distribution system for automobile engines, 253
Electromagnetic field
Continual induction hardening of axi-symmetric bodies, 269
Electromagnetic forming
Physical principles of electromagnetic forming process: a constitutive finite element model, 294
Electromagnetic torque
Computation of electromechanical characteristic of salient poles synchronous motor with damper based on FEM, 241
Electromechanical characteristic
Computation of electromechanical characteristic of salient poles synchronous motor with damper based on FEM, 241
Electromotion devices
Deterministic techniques for design optimisation of electromotion devices with multiple objectives, 282
Use of evolutionary techniques for multi-objective optimisation of electromotion devices, 300

Electrophoresis
Production and characterization of MgB_2 coatings on various substrates by electrophoretic deposition, 16
Erosion
Abrasive water-jet controlled depth milling of Ti6Al4V alloy – an investigation of the role of jet–workpiece traverse speed and abrasive grit size on the characteristics of the milled material, 407
$E\&S^2$ model
Magnetic characteristic analysis of electrical machines by vector magneto-hysteretic $E\&S^2$ model, 218
Evolutionary techniques
Use of evolutionary techniques for multi-objective optimisation of electromotion devices, 300
Excitation methods.
Numerical simulations and experiments of eddy current tests under various excitation methods, 353
Exposure
Low frequency magnetic field parameters acquisition and processing, 334

Fatigue
Analysis of Barkhausen noise using Monte Carlo simulation for nondestructive evaluation, 338
Fe-based shape memory alloys
The wire electro-discharge machining characteristics of Fe–30Mn–6Si and Fe–30Mn–6Si–5Cr shape memory alloys, 435
FEM
Analysis of shielding property in Bi-2223/Ag multifilamentary tapes with multi-layer arrangement, 22
Dynamic behaviour investigation of electromagnetic force densities, 258
Ferromagnetic material
Comparison of Jiles–Atherton and Preisach models extended to stress dependence in magnetoelastic behaviors of a ferromagnetic material, 141
Ferroresonance
Effect of dynamic core losses on ferroresonance phenomena, 156
Fiber path
CAM system for filament winding on elbows, 491
Filament winding
CAM system for filament winding on elbows, 491
Finite difference time domain methods
Phase error reduction in general FDTD methods via optimum configuration of material parameters, 186
Finite element analysis (FEA)
On the use of a homogenization technique for the modeling of anisotropic magnetic material properties in a finite element analysis, 176
Towards object-oriented finite element pre-processors exploiting modern computer technology, 247
2D finite element analysis data creating system with CAD data, 311
Finite element simulation of multi-point sheet forming process based on implicit scheme, 449
Finite element analysis program
Features and classes for an optimisation tool for electrical device designs and computer-aided instruction, 327
Finite element design
A common algorithm for various parametric geometric changes in finite element design sensitivity computation, 368
Finite element method
Magnetic permeance of the air gap between two toothed structures, 96
An automatic hexahedral mesh generation method for hexahedral elements towards rotating machine, 101
Computation of electromechanical characteristic of salient poles synchronous motor with damper based on FEM, 241
Geometry optimization of solid rotor eddy current brake by using sensitivity analysis and 3D finite elements, 363
Finite element modeling of hydrogen diffusion in fusion zone of HQ130 high strength steel, 423
A finite element model for hydrodynamic lubrication of cold extrusion with frictional boundary condition, 440
Finite element techniques
Design of skewed mounted permanent magnet synchronous generators based on 2D and 3D finite element techniques, 288
Finite-difference time-domain methods
A topologically consistent class of 3-D higher order curvilinear FDTD schemes for dispersion-optimized EMC and material modeling, 210
Fission reactor
Experimental study on NDT method using electromagnetic waves, 348
Flow stress curves
Microstructural evolution and flow stress of semi-solid type 304 stainless steel, 396
Flux gate sensor
Application of magnetic phenomena to analysis of stress corrosion cracking in welded part of stainless steel, 66
Frictional boundary condition
A finite element model for hydrodynamic lubrication of cold extrusion with frictional boundary condition, 440
Functional anchoring groups
Modification of TiO_2 semiconductor with molecules bearing functional phosphonic groups: a 31P solid state NMR study, 276

General curvilinear coordinates
A topologically consistent class of 3-D higher order curvilinear FDTD schemes for dispersion-optimized EMC and material modeling, 210
Generalized state estimation
Identification of analog and topological measurement errors in generalized state estimation, 121
Genetic algorithms (GAs)
Comparison between two target functions for optimization of single phase shaded-pole motor using method of genetic algorithms, 89
Geometrical parameters
Numerical techniques for design and modeling of distribution transformers, 320
Glass/Al–Mg composites
Interfacial reactions in glass/Al–Mg composite fabricated by powder metallurgy process, 445
Graphic user interface
Towards object-oriented finite element pre-processors exploiting modern computer technology, 247
Green function
Microwave ovens electromagnetic field analysis by means of boundary element method, 305

Hall sensor
Non-destructive evaluation of magnetic metallic materials using Hall sensors, 359
Hammer
Industrial rocket engine and its application for propelling of forging hammers, 504
Haptic sensation
Active haptic sensation for monitoring skin conditions, 199
Hardness
Continual induction hardening of axi-symmetric bodies, 269
Harmonic frequencies
Design of skewed mounted permanent magnet synchronous generators based on 2D and 3D finite element techniques, 288

Heat affected zone
Finite element modeling of hydrogen diffusion in fusion zone of HQ130 high strength steel, 423
Heat treatment
Dependence of the structural and superconducting properties of MgB_2 pellets on the thermal profiles of the manufacturing process, 33
Hexahedral element
An automatic hexahedral mesh generation method for hexahedral elements towards rotating machine, 101
High pressures
Synthesis of superhard materials, 169
High speed machining
Cutting parameter optimization to minimize production time in high speed turning, 388
High strength steel
Finite element modeling of hydrogen diffusion in fusion zone of HQ130 high strength steel, 423
Higher order schemes
Phase error reduction in general FDTD methods via optimum configuration of material parameters, 186
A topologically consistent class of 3-D higher order curvilinear FDTD schemes for dispersion-optimized EMC and material modeling, 210
High-speed drive
A proposal of the servo-driven high-speed surface motor, 75
High-temperature superconductors
Design of a laminated-steel magnetic core for use in a HT-SMES, 28
Homogenization technique
On the use of a homogenization technique for the modeling of anisotropic magnetic material properties in a finite element analysis, 176
HT superconductor
Magnetic levitation by height temperature superconductor plates short secondary interacting with translating field: experiences, measurements and modelling, 46
HTS bulk
Mechanism of decay of trapped magnetic field in HTS bulk caused by application of AC magnetic field, 52
HTS cable
Analysis of shielding property in Bi-2223/Ag multifilamentary tapes with multi-layer arrangement, 22
HTS motor
Mechanism of decay of trapped magnetic field in HTS bulk caused by application of AC magnetic field, 52
Hybrid
Hybrid solar collector, 229
Hysteretic magnetic behavior
Vector magneto-hysteretic engineering model, 136

Implicit formulation
Finite element simulation of multi-point sheet forming process based on implicit scheme, 449
In vitro and in vivo experiment
Active haptic sensation for monitoring skin conditions, 199
Induction generator
Operation of induction generator in the magnetic saturation region as a self-excited and as a double output system, 263
Induction heating
Continual induction hardening of axi-symmetric bodies, 269
Induction motors
Localised losses in stator laminations of an induction motor under PWM excitation, 79
Industrial rocket engine
Industrial rocket engine and its application for propelling of forging hammers, 504
Interface
Low frequency magnetic field parameters acquisition and processing, 334
Interfacial reactions
Interfacial reactions in glass/Al–Mg composite fabricated by powder metallurgy process, 445

Jiles–Atherton model
Comparison of Jiles–Atherton and Preisach models extended to stress dependence in magnetoelastic behaviors of a ferromagnetic material, 141

Kinetics
Interfacial reactions in glass/Al–Mg composite fabricated by powder metallurgy process, 445

Laser cladding
The effect of laser cladding on the corrosion resistance of magnesium ZK60/SiC composite, 462
Laser texturing
Laser texturing of rollers by pulsed Nd:YAG laser, 456
Levitation force
The synthesis, microstructure, transport and magnetic properties of Bi-based low density HTSC, 58
Loss distribution
Localised losses in stator laminations of an induction motor under PWM excitation, 79
Loss of symmetry
Effect of dynamic core losses on ferroresonance phenomena, 156

Machine path
CAM system for filament winding on elbows, 491
Magnesium composite
The effect of laser cladding on the corrosion resistance of magnesium ZK60/SiC composite, 462
Magnetic barkhausen noise
Magnetic investigation of the effect of α'-martensite on the properties of austenitic stainless steel, 162
Magnetic characteristic analysis
Magnetic characteristic analysis of electrical machines by vector magneto-hysteretic E&S^2 model, 218
Magnetic coenergy
Computation of electromechanical characteristic of salient poles synchronous motor with damper based on FEM, 241
Magnetic core
Design of a laminated-steel magnetic core for use in a HT-SMES, 28
Magnetic field
Thermal and magnetic field analysis of induction heating problems, 193
Low frequency magnetic field parameters acquisition and processing, 334
Magnetic field distribution
Computation of electromechanical characteristic of salient poles synchronous motor with damper based on FEM, 241
Magnetic flux leakage
Non-destructive evaluation of magnetic metallic materials using Hall sensors, 359
Magnetic force microscope
Application of magnetic phenomena to analysis of stress corrosion cracking in welded part of stainless steel, 66
Magnetic levitation and traction
Magnetic levitation by height temperature superconductor plates short secondary interacting with translating field: experiences, measurements and modelling, 46
Magnetic losses
Localised losses in stator laminations of an induction motor under PWM excitation, 79

Magnetic materials
Powder metal development for electrical motor applications, 83
Some of the technologies, which can improve the properties of anisotropic materials, 181
Magnetic measurements
Structure and magnetic properties of $Sm(Co_{1-x}M_x)_5$ (M = Cu, Ag) alloys, 173
Magnetic nondestructive inspection method
Application of magnetic phenomena to analysis of stress corrosion cracking in welded part of stainless steel, 66
Magnetic permeance
Magnetic permeance of the air gap between two toothed structures, 96
Magnetic properties
Powder metal development for electrical motor applications, 83
Effect of mechanical and Nd:YAG laser cutting on magnetic flux distribution near the cut edge of non-oriented steels, 151
Magnetic saturation region
Operation of induction generator in the magnetic saturation region as a self-excited and as a double output system, 263
Magnetically ordered materials
Structure and magnetic properties of $Sm(Co_{1-x}M_x)_5$ (M = Cu, Ag) alloys, 173
Magnetization process
Analysis of Barkhausen noise using Monte Carlo simulation for nondestructive evaluation, 338
Magnetoelastic coupling
Comparison of Jiles–Atherton and Preisach models extended to stress dependence in magnetoelastic behaviors of a ferromagnetic material, 141
Manufacturing
A study of design and manufacturing models for circular-arc ball-end milling cutters, 467
Manufacturing engineering
Advanced manufacturing engineering, 1
Martensitic transformation
Application of magnetic phenomena to analysis of stress corrosion cracking in welded part of stainless steel, 66
Material modeling
A topologically consistent class of 3-D higher order curvilinear FDTD schemes for dispersion-optimized EMC and material modeling, 210
Mathematical model
A research on the non-NC machining of two kinds of revolving cutters, 485
Maxwell stress tensor
Dynamic behaviour investigation of electromagnetic force densities, 258
Mechanism
Abrasive water-jet controlled depth milling of Ti6Al4V alloy – an investigation of the role of jet–workpiece traverse speed and abrasive grit size on the characteristics of the milled material, 407
Mechatronics
Application of electromagnetic actuators to a variable distribution system for automobile engines, 253
Melt iron features
Intelligent evaluation of melt iron quality by pattern recognition of thermal analysis cooling curves, 430
Mesh generation
An automatic hexahedral mesh generation method for hexahedral elements towards rotating machine, 101
Mesh generator
2D finite element analysis data creating system with CAD data, 311
Metal matrix composites
Production and mechanical properties of Al_2O_3 particle-reinforced 2024 aluminium alloy composites, 381
Metal-sheathed
Explosive compaction/cladding of YBCO discs: a numerical approach, 36
Methodology
Numerical techniques for design and modeling of distribution transformers, 320
MgB_2
Dependence of the structural and superconducting properties of MgB_2 pellets on the thermal profiles of the manufacturing process, 33
MgB_2 superconductor
Production and characterization of MgB_2 coatings on various substrates by electrophoretic deposition, 16
Micromagnetic measurements
Magnetic investigation of the effect of α'-martensite on the properties of austenitic stainless steel, 162
Microstructure simulation
FEM simulation on microstructure of DC flash butt welding for an ultra-fine grain steel, 497
Microstructure
Microstructural evolution and flow stress of semi-solid type 304 stainless steel, 396
Microwave ovens
Microwave ovens electromagnetic field analysis by means of boundary element method, 305
Model of hydrodynamic lubrication
A finite element model for hydrodynamic lubrication of cold extrusion with frictional boundary condition, 440
Monitoring skin conditions
Active haptic sensation for monitoring skin conditions, 199
Monte Carlo method
Analysis of Barkhausen noise using Monte Carlo simulation for nondestructive evaluation, 338
FEM simulation on microstructure of DC flash butt welding for an ultra-fine grain steel, 497
Morphologies
Microstructural evolution and flow stress of semi-solid type 304 stainless steel, 396
MRF
Development on 2DOF-type and Rotary-type shock absorber damper using MRF and their efficiencies, 146
Multi-objective optimisation
Deterministic techniques for design optimisation of electromotion devices with multiple objectives, 282
Use of evolutionary techniques for multi-objective optimisation of electromotion devices, 300
Multi-point forming
Finite element simulation of multi-point sheet forming process based on implicit scheme, 449

Nano addition
Cutting and wearing characteristics of TiC-based cermets cutters with nano-TiN addition, 478
Nanocrystalline solar cell
Solid-state sensitized solar cells, using $[Ru(dcbpyH_2)_2Cl_2]\cdot 2H_2O$ as the dye and PEO/titania/I^-/I_3^- as the redox electrolyte, 234
Nanotechnology processing
Advanced manufacturing engineering, 1
NC machining
A study of design and manufacturing models for circular-arc ball-end milling cutters, 467
Nondestructive evaluation
Analysis of Barkhausen noise using Monte Carlo simulation for nondestructive evaluation, 338
Series expansions in eddy current nondestructive evaluation models, 343

Non-destructive evaluation
Non-destructive evaluation of magnetic metallic materials using Hall sensors, 359
Non-destructive testing (NDT)
Experimental study on NDT method using electromagnetic waves, 348
Non-linear self and leakage inductance computation
On the use of a homogenization technique for the modeling of anisotropic magnetic material properties in a finite element analysis, 176
Non-NC machining
A research on the non-NC machining of two kinds of revolving cutters, 485
Numerical analysis
Continual induction hardening of axi-symmetric bodies, 269
Numerical dispersion
Phase error reduction in general FDTD methods via optimum configuration of material parameters, 186
Numerical modeling
Phase error reduction in general FDTD methods via optimum configuration of material parameters, 186
Numerical simulations
Physical principles of electromagnetic forming process: a constitutive finite element model, 294
Numerical simulations and experiments of eddy current tests under various excitation methods, 353
Numerical solution of partial differential equations
A topologically consistent class of 3-D higher order curvilinear FDTD schemes for dispersion-optimized EMC and material modeling, 210

Open-type magnetizer
Thermal and magnetic field analysis of induction heating problems, 193
Optimisation tool
Features and classes for an optimisation tool for electrical device designs and computer-aided instruction, 327
Optimization
Comparison between two target functions for optimization of single phase shaded-pole motor using method of genetic algorithms, 89
A common algorithm for various parametric geometric changes in finite element design sensitivity computation, 368
Cutting parameter optimization to minimize production time in high speed turning, 388
Optimization methods
Geometry optimization of solid rotor eddy current brake by using sensitivity analysis and 3D finite elements, 363

Particle-reinforced composite
Production and mechanical properties of Al_2O_3 particle-reinforced 2024 aluminium alloy composites, 381
PDF film
Active haptic sensation for monitoring skin conditions, 199
Percolation depinning model
Analysis of shielding property in Bi-2223/Ag multifilamentary tapes with multi-layer arrangement, 22
Performance characteristics
Comparison between two target functions for optimization of single phase shaded-pole motor using method of genetic algorithms, 89
Permanent magnets
Design of skewed mounted permanent magnet synchronous generators based on 2D and 3D finite element techniques, 288
Phase change
Microstructural evolution and flow stress of semi-solid type 304 stainless steel, 396
Phase transformation
Magnetic investigation of the effect of α'-martensite on the properties of austenitic stainless steel, 162
Phosphonated group
Incorporation of innovative compounds in nanostructured photoelectrochemical cells, 107
Phosphonic acids
Modification of TiO_2 semiconductor with molecules bearing functional phosphonic groups: a 31P solid state NMR study, 276
Photocatalytic reactor
Design and theoretical study of a packed bed photoreactor, 224
Photovoltaic
Hybrid solar collector, 229
Post-processing
Towards object-oriented finite element pre-processors exploiting modern computer technology, 247
Powder metal composites
Powder metal development for electrical motor applications, 83
Power system
Transformers of reduced losses and evaluation of their repair, 204
Preisach model
Comparison of Jiles–Atherton and Preisach models extended to stress dependence in magnetoelastic behaviors of a ferromagnetic material, 141
Pre-processing
Towards object-oriented finite element pre-processors exploiting modern computer technology, 247
Process simulation
Numerical simulation of deposition process for a new 3DP printhead design, 509
Programming
A common algorithm for various parametric geometric changes in finite element design sensitivity computation, 368
Properties
Some of the technologies, which can improve the properties of anisotropic materials, 181
31P solid state NMR
Modification of TiO_2 semiconductor with molecules bearing functional phosphonic groups: a 31P solid state NMR study, 276
PWM voltage supply
Localised losses in stator laminations of an induction motor under PWM excitation, 79

Q maps
Effect of dynamic core losses on ferroresonance phenomena, 156

RAMAN
Production and characterization of MgB_2 coatings on various substrates by electrophoretic deposition, 16
Rapid prototyping
Numerical simulation of deposition process for a new 3DP printhead design, 509
Reduced losses
Transformers of reduced losses and evaluation of their repair, 204
Reverse engineering
A study of design and manufacturing models for circular-arc ball-end milling cutters, 467
Revolving cutter
A research on the non-NC machining of two kinds of revolving cutters, 485
Roll
Laser texturing of rollers by pulsed Nd:YAG laser, 456
Rotating machine
An automatic hexahedral mesh generation method for hexahedral elements towards rotating machine, 101

Rotating machines
Geometry optimization of solid rotor eddy current brake by using sensitivity analysis and 3D finite elements, 363
Roughness
Cutting parameter optimization to minimize production time in high speed turning, 388
Abrasive water-jet controlled depth milling of Ti6Al4V alloy – an investigation of the role of jet–workpiece traverse speed and abrasive grit size on the characteristics of the milled material, 407
R-TM intermetallics
Structure and magnetic properties of $Sm(Co_{1-x}M_x)_5$ (M = Cu, Ag) alloys, 173
Ru(II) complexes
Incorporation of innovative compounds in nanostructured photoelectrochemical cells, 107
Ru(II)-diaqua-dcbpy dyes
Solid-state sensitized solar cells, using $[Ru(dcbpyH_2)_2Cl_2]\cdot 2H_2O$ as the dye and PEO/titania/I^-/I_3^- as the redox electrolyte, 234

Salient poles synchronous motor with damper
Computation of electromechanical characteristic of salient poles synchronous motor with damper based on FEM, 241
Scalar and vector magnetic potential
Boundary element method for multiply connected domains, 315
Scanning electron microscopy (SEM)
The synthesis, microstructure, transport and magnetic properties of Bi-based low density HTSC, 58
Semi-solid forming
Microstructural evolution and flow stress of semi-solid type 304 stainless steel, 396
Series expansions
Series expansions in eddy current nondestructive evaluation models, 343
Servo drive
A proposal of the servo-driven high-speed surface motor, 75
Shape optimization
A common algorithm for various parametric geometric changes in finite element design sensitivity computation, 368
Sheet metal forming
Finite element simulation of multi-point sheet forming process based on implicit scheme, 449
Shielding property
Analysis of shielding property in Bi-2223/Ag multifilamentary tapes with multi-layer arrangement, 22
Shock
Development on 2DOF-type and Rotary-type shock absorber damper using MRF and their efficiencies, 146
Shock densification
Shock synthesis and densification of tungsten based heavy alloys, 113
Shock synthesis
Shock synthesis and densification of tungsten based heavy alloys, 113
Simulation
A voltage source converter model for exchanging active and reactive power with a distribution network, 128
A study of design and manufacturing models for circular-arc ball-end milling cutters, 467
Single phase shaded-pole motor
Comparison between two target functions for optimization of single phase shaded-pole motor using method of genetic algorithms, 89
Skewed rotors
Design of skewed mounted permanent magnet synchronous generators based on 2D and 3D finite element techniques, 288
SnO_2 films
Incorporation of innovative compounds in nanostructured photoelectrochemical cells, 107
Solid-state composite polymer electrolyte
Solid-state sensitized solar cells, using $[Ru(dcbpyH_2)_2Cl_2]\cdot 2H_2O$ as the dye and PEO/titania/I^-/I_3^- as the redox electrolyte, 234
Solid-state dye-sensitized solar cell
Incorporation of innovative compounds in nanostructured photoelectrochemical cells, 107
Sombrero shaped bumps
Laser texturing of rollers by pulsed Nd:YAG laser, 456
SQUID
Production and characterization of MgB_2 coatings on various substrates by electrophoretic deposition, 16
Stored energy computation
Design of a laminated-steel magnetic core for use in a HT-SMES, 28
Strain induced martensite
Magnetic investigation of the effect of α'-martensite on the properties of austenitic stainless steel, 162
Stress corrosion cracking
Application of magnetic phenomena to analysis of stress corrosion cracking in welded part of stainless steel, 66
Superconducting foam
The synthesis, microstructure, transport and magnetic properties of Bi-based low density HTSC, 58
Superconducting magnetic energy storage
Design of a laminated-steel magnetic core for use in a HT-SMES, 28
Superconducting properties
Dependence of the structural and superconducting properties of MgB_2 pellets on the thermal profiles of the manufacturing process, 33
Surface modification
Modification of TiO_2 semiconductor with molecules bearing functional phosphonic groups: a 31P solid state NMR study, 276
Surface motor
A proposal of the servo-driven high-speed surface motor, 75
Surface roughness profile
Laser texturing of rollers by pulsed Nd:YAG laser, 456
Switched reluctance machine
On the use of a homogenization technique for the modeling of anisotropic magnetic material properties in a finite element analysis, 176

Technology
Some of the technologies, which can improve the properties of anisotropic materials, 181
Temperature field
Continual induction hardening of axi-symmetric bodies, 269
Terpyridine
Incorporation of innovative compounds in nanostructured photoelectrochemical cells, 107
Textures
Some of the technologies, which can improve the properties of anisotropic materials, 181
Thermal analysis
Intelligent evaluation of melt iron quality by pattern recognition of thermal analysis cooling curves, 430
Thermal solar collector
Hybrid solar collector, 229
Thermodynamic modeling
Understanding AlN sintering through computational thermodynamics combined with experimental investigation, 415
Thermodynamics
Interfacial reactions in glass/Al–Mg composite fabricated by powder metallurgy process, 445

Three-dimensional printing
Numerical simulation of deposition process for a new 3DP printhead design, 509
TiO_2 films
Solid-state sensitized solar cells, using $[Ru(dcbpyH_2)_2Cl_2]\cdot 2H_2O$ as the dye and PEO/titania/I^-/I_3^- as the redox electrolyte, 234
Titania foam
Design and theoretical study of a packed bed photoreactor, 224
Titanium dioxide
Design and theoretical study of a packed bed photoreactor, 224
Titanium oxide
Modification of TiO_2 semiconductor with molecules bearing functional phosphonic groups: a 31P solid state NMR study, 276
Tool life
Cutting parameter optimization to minimize production time in high speed turning, 388
Toroidal
Thermal and magnetic field analysis of induction heating problems, 193
Transformer core losses
Effect of dynamic core losses on ferroresonance phenomena, 156
Transient stability analysis
Transient stability analysis of large aluminum stabilized superconductor by 3D finite element method, 10
Translating field
Magnetic levitation by height temperature superconductor plates short secondary interacting with translating field: experiences, measurements and modelling, 46
Trapped magnetic field
Mechanism of decay of trapped magnetic field in HTS bulk caused by application of AC magnetic field, 52
Tree–cotree techniques
Boundary element method for multiply connected domains, 315
Tube compression
Physical principles of electromagnetic forming process: a constitutive finite element model, 294
Tungsten heavy alloys
Shock synthesis and densification of tungsten based heavy alloys, 113
Turbogenerator
Dynamic behaviour investigation of electromagnetic force densities, 258
Turning
Cutting parameter optimization to minimize production time in high speed turning, 388
Two-dimensional vector magnetic property
Vector magneto-hysteretic engineering model, 136
Type 304 stainless steel
Microstructural evolution and flow stress of semi-solid type 304 stainless steel, 396

Ultra-fine grain steel
FEM simulation on microstructure of DC flash butt welding for an ultra-fine grain steel, 497
Ultraprecision
Advanced manufacturing engineering, 1

Variable reluctance machines
Magnetic permeance of the air gap between two toothed structures, 96
Voltage
A voltage source converter model for exchanging active and reactive power with a distribution network, 128
Vortex
Production and mechanical properties of Al_2O_3 particle-reinforced 2024 aluminium alloy composites, 381

Waviness
Abrasive water-jet controlled depth milling of Ti6Al4V alloy – an investigation of the role of jet–workpiece traverse speed and abrasive grit size on the characteristics of the milled material, 407
Wearing characteristics
Cutting and wearing characteristics of TiC-based cermets cutters with nano-TiN addition, 478
Welding
Finite element modeling of hydrogen diffusion in fusion zone of HQ130 high strength steel, 423
Wire electro-discharge machining
The wire electro-discharge machining characteristics of Fe–30Mn–6Si and Fe–30Mn–6Si–5Cr shape memory alloys, 435

X-ray spectroscopy
Structure and magnetic properties of $Sm(Co_{1-x}M_x)_5$ (M = Cu, Ag) alloys, 173
XRD
Production and characterization of MgB_2 coatings on various substrates by electrophoretic deposition, 16

YBCO discs
Explosive compaction/cladding of YBCO discs: a numerical approach, 36